



PGB Sciences, LLC
1437 N. Denver STE 337 Loveland, CO 80538
info@peptidegroupbuy.com

SAMPLE NAME: Semax
SAMPLE CODE: 7TQU-48JU
RECEIVED DATE: 08/31/2026
PUBLISHED DATE: 09/03/2026



DECLARED IDENTITY: Semax
MATRIX TYPE: PEPTIDE
SAMPLE NAME: Semax
SAMPLE SIZE: 10.0 mg
LOT CODE: PSSEMXX10-1



Variance
3 Vials




13.17 mg
Total Quantity



99.77%
Total Blend Purity

Sample	Test	Specification	Result	Status
Semax	IDENTITY	Semax	Conforms 3/3	Conforms 3/3
Semax	QUANTITY	MEASURE	mean 13.17 mg · SD 0.10 · %RSD 0.79% · n=3	MEASURED
Semax	PURITY	> 98.0%	mean 99.77% · SD 0.02 · %RSD 0.02% · n=3	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
09/03/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
09/03/2026

ACCUMARKLABS.COM
7TQU-48JU
09/03/2026





PGB Sciences, LLC
1437 N. Denver STE 337 Loveland, CO 80538
info@peptidegroupbuy.com

SAMPLE NAME: Semax
SAMPLE CODE: 7TQU-48JU
RECEIVED DATE: 08/31/2026
PUBLISHED DATE: 09/03/2026

VIAL	Semax		
	Identity	Quantity mg	Purity %
● Vial 1	Semax	13.249 mg	99.789%
● Vial 2	Semax	13.208 mg	99.757%
● Vial 3	Semax	13.052 mg	99.764%

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
09/03/2026


Dr. Levi Fried MD
Lab Director
09/03/2026

ACCUMARKLABS.COM
7TQU-48JU
09/03/2026

